

TREAD DATA CHART

VOER DATAKAART

VERSION 22.4 WEERGAWE



www.leadertread.co.za



info@leadertread.co.za



011 473 8200



8 Kelvin Street
Industria
Johannesburg

SABS
ISO 9001



LEADER RUBBER COMPANY

SOUTH AFRICA (PTY) LTD



**LEADER
TREAD**
leading the way[®]



MM1	DRIVE DRYF		
	Size	Skid depth	
	235	22mm	● Long Haul
	245	22mm	● Regional
	255	22mm	● City & Intercity
	265	22mm	○ On / Off
	275	22mm	○ Off Road
	285	20mm	○ Light Truck
			○ Special

MM65	OFF ROAD DRIVE GROND PAD DRYF		
	Size	Skid depth	
	230	20mm	○ Long Haul
	240	20mm	○ Regional
	250	20mm	○ City & Intercity
	265	20mm	● On / Off
			● Off Road
			○ Light Truck
			● Special

MM7	DRIVE DRYF		
	Size	Skid depth	
	210	19mm	● Long Haul
	220	18mm	● Regional
	230	19mm	● City & Intercity
	240	19mm	● On / Off
	250	19mm	○ Off Road
	265	19mm	○ Light Truck
			● Special

MM68 WING	TRAILER SLEEPWA		
	Size	Skid depth	
	295 W	14.5mm	● Long Haul
			● Regional
			● City & Intercity
			● On / Off
			○ Off Road
			○ Light Truck
			○ Special

MM38	ALL POSITION ALLE POSISIE		
	Size	Skid depth	
	210	16mm	● Long Haul
	220	16mm	● Regional
	230	16mm	● City & Intercity
	240	16mm	● On / Off
	250	16mm	● Off Road
	260	16mm	○ Light Truck
	270	16mm	○ Special

MM75	DRIVE DRYF		
	Size	Skid depth	
	220	21mm	○ Long Haul
	230	21mm	● Regional
	240	21mm	● City & Intercity
	250	21mm	● On / Off
	260	21mm	● Off Road
	270	21mm	○ Light Truck
			● Special

MM43	DRIVE DRYF		
	Size	Skid depth	
	200	20mm	● Long Haul
	210	20mm	● Regional
	220	20mm	● City & Intercity
	225	20mm	● On / Off
	235	22mm	○ Off Road
	245	22mm	○ Light Truck
	255	22mm	○ Special
	265	22mm	
	275	22mm	
	285	20mm	

MM79	TRAILER SLEEPWA		
	Size	Skid depth	
	220	12mm	● Long Haul
	230	12mm	● Regional
	240	12mm	● City & Intercity
	250	12mm	● On / Off
	260	12mm	○ Off Road
	270	12mm	○ Light Truck
	300 W	11mm	○ Special
	315 W	11mm	

*available only on special order

MM80	DRIVE DRYF		
	Size	Skid depth	
	235	20mm	● Long Haul
	245	20mm	● Regional
	255	20mm	● City & Intercity
	265	20mm	● On / Off
	280	20mm	○ Off Road
			○ Light Truck
			○ Special

MM86	ALL POSITION ALLE POSISIE		
	Size	Skid depth	
	220	17mm	● Long Haul
	230	17mm	● Regional
	240	17mm	● City & Intercity
	250	17mm	● On / Off
	260	17mm	○ Off Road
	270	17mm	○ Light Truck
			○ Special

MM84	LIGHT TRUCK LIGTE VRAGMOTOR		
	Size	Skid depth	
	130	12mm	● Long Haul
	140	12mm	● Regional
	150	12mm	● City & Intercity
	160	12mm	● On / Off
	176	12mm	○ Off Road
			● Light Truck
			○ Special

MM89 WING	TRAILER SLEEPWA		
	Size	Skid depth	
	250 W	16.5mm	● Long Haul
	260 W	16.5mm	● Regional
	270 W	16.5mm	● City & Intercity
			○ On / Off
			○ Off Road
			○ Light Truck
			○ Special

MM84 WING	TRAILER SLEEPWA		
	Size	Skid depth	
	190 W	14mm	● Long Haul
	200 W	14mm	● Regional
	210 W	14mm	● City & Intercity
	220 W	14mm	● On / Off
	225 W	14mm	○ Off Road
	235 W	14mm	○ Light Truck
	245 W	14mm	○ Special
	255 W	14mm	
	265 W	14mm	

MM90	ALL POSITION ALLE POSISIE		
	Size	Skid depth	
	225	17.5mm	● Long Haul
	235	17.5mm	● Regional
	245	17.5mm	● City & Intercity
	255	17.5mm	● On / Off
	265	17.5mm	○ Off Road
	275	17.5mm	○ Light Truck
			○ Special

MM84+ WING	TRAILER SLEEPWA		
	Size	Skid depth	
	235 W	16mm	● Long Haul
	245 W	16mm	● Regional
	255 W	16mm	● City & Intercity
	265 W	16mm	● On / Off
			○ Off Road
			○ Light Truck
			○ Special

M3	LIGHT TRUCK LIGTE VOORTUIG		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☒ Off Road ☒ Light Truck ☐ Special
	130	9.5mm	
	140	9.5mm	
	150	11.5mm	
	165	11.5mm	
	176	12.5mm	

M3	ALL POSITION ALLE POSISIE		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☐ Off Road ☐ Light Truck ☐ Special
	190	14mm	
	200	14mm	
	220	14mm	
	230	14mm	
	240	14mm	
	250	14mm	
	260	14mm	
	270	14mm	
	280	14mm	

M7	DRIVE DRYF		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☒ Off Road ☐ Light Truck ☒ Special
	210	18mm	
	220	18mm	
	230	19mm	
	240	19mm	
	250	19mm	
	265	19mm	

M14	SPECIAL SPESIALE		
	Size	Skid depth	☐ Long Haul ☐ Regional ☐ City & Intercity ☒ On / Off ☒ Off Road ☐ Light Truck ☒ Special
	323	25mm	
	360	25mm	
	420	25mm	

M15	TRAILER SLEEPWA		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☐ On / Off ☐ Off Road ☐ Light Truck ☐ Special
	320	14mm	

M17	LIGHT TRUCK LIGTE VOORTUIG		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☒ Off Road ☒ Light Truck ☐ Special
	130	10.5mm	
	140	12mm	
	150	13mm	
	160	14mm	
	176	14mm	
	190	14mm	
	206	17.5mm	

M36	DRIVE DRYF		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☒ Off Road ☐ Light Truck ☒ Special
	220	18mm	
	230	18mm	
	240	18mm	
	250	18mm	
	265	18mm	

M38	ALL POSITION ALLE POSISIE		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☒ Off Road ☐ Light Truck ☐ Special
	210	16mm	
	220	16mm	
	230	16mm	
	240	16mm	
	250	16mm	
	260	16mm	
	270	16mm	

M43	DRIVE DRYF		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☐ Off Road ☐ Light Truck ☐ Special
	200	20mm	
	210	20mm	
	220	20mm	
	225	20mm	
	235	22mm	
	245	22mm	
	255	22mm	
	265	22mm	
	275	22mm	
	285	20mm	

M68 WING	TRAILER SLEEPWA		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☐ Off Road ☐ Light Truck ☐ Special
	295 W	14.5mm	

M78 WING	TRAILER SLEEPWA		
	Size	Skid depth	☐ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☒ Off Road ☐ Light Truck ☐ Special
	295 W	16mm	

M88	DRIVE DRYF		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☐ Off Road ☐ Light Truck ☐ Special
	160	14mm	
	180	16mm	
	190	18mm	
	230	20mm	
	240	20mm	
	250	20mm	
	260	20mm	
	270	20mm	
	280	20mm	

M90L	ALL POSITION ALLE POSISIE		
	Size	Skid depth	☒ Long Haul ☒ Regional ☒ City & Intercity ☒ On / Off ☐ Off Road ☐ Light Truck ☐ Special
	225	14mm	
	235	14mm	
	245	15mm	
	255	15mm	
	265	15mm	
	275	14mm	

W = Wing Tread

Do not use

Limited

Accepted

Recommended