

# TREAD DATA *CHART*

## VOER DATAKAART

VERSION 22.7 WEERGAWE



[www.leadertread.co.za](http://www.leadertread.co.za)



[info@leadertread.co.za](mailto:info@leadertread.co.za)



011 473 8200



8 Kelvin Street  
Industria  
Johannesburg

**SABS**  
ISO 9001



**LEADER RUBBER COMPANY**

SOUTH AFRICA (PTY) LTD



**LEADER  
TREAD**<sup>TM</sup>  
leading the way<sup>®</sup>



| MM1                                                                               | DRIVE DRYF |            |                                                   |
|-----------------------------------------------------------------------------------|------------|------------|---------------------------------------------------|
|                                                                                   | Size       | Skid depth |                                                   |
|  | 235        | 22mm       | <input checked="" type="radio"/> Long Haul        |
|                                                                                   | 245        | 22mm       | <input checked="" type="radio"/> Regional         |
|                                                                                   | 255        | 22mm       | <input checked="" type="radio"/> City & Intercity |
|                                                                                   | 265        | 22mm       | <input type="radio"/> On / Off                    |
|                                                                                   | 275        | 22mm       | <input type="radio"/> Off Road                    |
|                                                                                   | 285        | 20mm       | <input type="radio"/> Light Truck                 |
|                                                                                   |            |            | <input type="radio"/> Special                     |

| MM65                                                                               | OFF ROAD DRIVE GROND PAD DRYF |            |                                           |
|------------------------------------------------------------------------------------|-------------------------------|------------|-------------------------------------------|
|                                                                                    | Size                          | Skid depth |                                           |
|  | 230                           | 20mm       | <input type="radio"/> Long Haul           |
|                                                                                    | 240                           | 20mm       | <input type="radio"/> Regional            |
|                                                                                    | 250                           | 20mm       | <input type="radio"/> City & Intercity    |
|                                                                                    | 265                           | 20mm       | <input checked="" type="radio"/> On / Off |
|                                                                                    |                               |            | <input checked="" type="radio"/> Off Road |
|                                                                                    |                               |            | <input type="radio"/> Light Truck         |
|                                                                                    |                               |            | <input checked="" type="radio"/> Special  |

| MM7                                                                                | DRIVE DRYF |            |                                           |
|------------------------------------------------------------------------------------|------------|------------|-------------------------------------------|
|                                                                                    | Size       | Skid depth |                                           |
|  | 210        | 19mm       | <input type="radio"/> Long Haul           |
|                                                                                    | 220        | 18mm       | <input type="radio"/> Regional            |
|                                                                                    | 230        | 19mm       | <input type="radio"/> City & Intercity    |
|                                                                                    | 240        | 19mm       | <input checked="" type="radio"/> On / Off |
|                                                                                    | 250        | 19mm       | <input type="radio"/> Off Road            |
|                                                                                    | 265        | 19mm       | <input type="radio"/> Light Truck         |
|                                                                                    |            |            | <input checked="" type="radio"/> Special  |

| MM68 WING                                                                           | TRAILER SLEEPWA |            |                                                   |
|-------------------------------------------------------------------------------------|-----------------|------------|---------------------------------------------------|
|                                                                                     | Size            | Skid depth |                                                   |
|  | 295 W           | 14.5mm     | <input checked="" type="radio"/> Long Haul        |
|                                                                                     |                 |            | <input checked="" type="radio"/> Regional         |
|                                                                                     |                 |            | <input checked="" type="radio"/> City & Intercity |
|                                                                                     |                 |            | <input type="radio"/> On / Off                    |
|                                                                                     |                 |            | <input type="radio"/> Off Road                    |
|                                                                                     |                 |            | <input type="radio"/> Light Truck                 |
|                                                                                     |                 |            | <input type="radio"/> Special                     |

| MM38                                                                                | ALL POSITION ALLE POSISIE |            |                                                   |
|-------------------------------------------------------------------------------------|---------------------------|------------|---------------------------------------------------|
|                                                                                     | Size                      | Skid depth |                                                   |
|  | 210                       | 16mm       | <input checked="" type="radio"/> Long Haul        |
|                                                                                     | 220                       | 16mm       | <input checked="" type="radio"/> Regional         |
|                                                                                     | 230                       | 16mm       | <input checked="" type="radio"/> City & Intercity |
|                                                                                     | 240                       | 16mm       | <input checked="" type="radio"/> On / Off         |
|                                                                                     | 250                       | 16mm       | <input type="radio"/> Off Road                    |
|                                                                                     | 260                       | 16mm       | <input type="radio"/> Light Truck                 |
|                                                                                     | 270                       | 16mm       | <input type="radio"/> Special                     |
|                                                                                     |                           |            |                                                   |

| MM75                                                                                 | DRIVE DRYF |            |                                           |
|--------------------------------------------------------------------------------------|------------|------------|-------------------------------------------|
|                                                                                      | Size       | Skid depth |                                           |
|  | 220        | 21mm       | <input type="radio"/> Long Haul           |
|                                                                                      | 230        | 21mm       | <input type="radio"/> Regional            |
|                                                                                      | 240        | 21mm       | <input type="radio"/> City & Intercity    |
|                                                                                      | 250        | 21mm       | <input checked="" type="radio"/> On / Off |
|                                                                                      | 260        | 21mm       | <input checked="" type="radio"/> Off Road |
|                                                                                      | 270        | 21mm       | <input type="radio"/> Light Truck         |
|                                                                                      |            |            | <input checked="" type="radio"/> Special  |
|                                                                                      |            |            |                                           |

| MM43                                                                                | DRIVE DRYF |            |                                                   |
|-------------------------------------------------------------------------------------|------------|------------|---------------------------------------------------|
|                                                                                     | Size       | Skid depth |                                                   |
|  | 200        | 20mm       | <input checked="" type="radio"/> Long Haul        |
|                                                                                     | 210        | 20mm       | <input checked="" type="radio"/> Regional         |
|                                                                                     | 220        | 20mm       | <input checked="" type="radio"/> City & Intercity |
|                                                                                     | 225        | 20mm       | <input checked="" type="radio"/> On / Off         |
|                                                                                     | 235        | 22mm       | <input type="radio"/> Off Road                    |
|                                                                                     | 245        | 22mm       | <input type="radio"/> Light Truck                 |
|                                                                                     | 255        | 22mm       | <input type="radio"/> Special                     |
|                                                                                     | 265        | 22mm       |                                                   |
|                                                                                     | 275        | 22mm       |                                                   |
|                                                                                     | 285        | 20mm       |                                                   |
|                                                                                     |            |            |                                                   |

| MM79                                                                                 | TRAILER SLEEPWA |            |                                                   |
|--------------------------------------------------------------------------------------|-----------------|------------|---------------------------------------------------|
|                                                                                      | Size            | Skid depth |                                                   |
|  | 220             | 12mm       | <input checked="" type="radio"/> Long Haul        |
|                                                                                      | 230             | 12mm       | <input checked="" type="radio"/> Regional         |
|                                                                                      | 240             | 12mm       | <input checked="" type="radio"/> City & Intercity |
|                                                                                      | 250             | 12mm       | <input type="radio"/> On / Off                    |
|                                                                                      | 260             | 12mm       | <input type="radio"/> Off Road                    |
|                                                                                      | 270             | 12mm       | <input type="radio"/> Light Truck                 |
|                                                                                      | 300 W           | 11mm       | <input type="radio"/> Special                     |
|                                                                                      | 315 W           | 11mm       |                                                   |
|                                                                                      |                 |            |                                                   |
|                                                                                      |                 |            |                                                   |
|                                                                                      |                 |            |                                                   |



| MM80                                                                              | DRIVE<br>DRYF |            |                                          |
|-----------------------------------------------------------------------------------|---------------|------------|------------------------------------------|
|  | Size          | Skid depth |                                          |
|                                                                                   | 235           | 20mm       | ● Long Haul                              |
|                                                                                   | 245           | 20mm       | ● Regional                               |
|                                                                                   | 255           | 20mm       | ● City & Intercity                       |
|                                                                                   | 265           | 20mm       | ● On / Off                               |
|                                                                                   | 280           | 20mm       | ○ Off Road<br>○ Light Truck<br>○ Special |

| MM86                                                                               | ALL POSITION<br>ALLE POSISIE |            |                                          |
|------------------------------------------------------------------------------------|------------------------------|------------|------------------------------------------|
|  | Size                         | Skid depth |                                          |
|                                                                                    | 220                          | 17mm       | ● Long Haul                              |
|                                                                                    | 230                          | 17mm       | ● Regional                               |
|                                                                                    | 240                          | 17mm       | ● City & Intercity                       |
|                                                                                    | 250                          | 17mm       | ● On / Off                               |
|                                                                                    | 260                          | 17mm       | ○ Off Road<br>○ Light Truck<br>○ Special |
|                                                                                    | 270                          | 17mm       |                                          |


| MM84                                                                               | LIGHT TRUCK<br>LIGTE VRAGMOTOR |            |                                          |
|------------------------------------------------------------------------------------|--------------------------------|------------|------------------------------------------|
|  | Size                           | Skid depth |                                          |
|                                                                                    | 130                            | 12mm       | ● Long Haul                              |
|                                                                                    | 140                            | 12mm       | ● Regional                               |
|                                                                                    | 150                            | 12mm       | ● City & Intercity                       |
|                                                                                    | 160                            | 12mm       | ● On / Off                               |
|                                                                                    | 176                            | 12mm       | ○ Off Road<br>● Light Truck<br>○ Special |

| MM89<br>WING                                                                        | TRAILER<br>SLEEPWA |            |                                                                              |
|-------------------------------------------------------------------------------------|--------------------|------------|------------------------------------------------------------------------------|
|  | Size               | Skid depth |                                                                              |
|                                                                                     | 250 W              | 16.5mm     | ● Long Haul                                                                  |
|                                                                                     | 260 W              | 16.5mm     | ● Regional                                                                   |
|                                                                                     | 270 W              | 16.5mm     | ● City & Intercity<br>○ On / Off<br>○ Off Road<br>○ Light Truck<br>○ Special |

| MM84<br>WING                                                                        | TRAILER<br>SLEEPWA |            |                    |
|-------------------------------------------------------------------------------------|--------------------|------------|--------------------|
|  | Size               | Skid depth |                    |
|                                                                                     | 190 W              | 14mm       | ● Long Haul        |
|                                                                                     | 200 W              | 14mm       | ● Regional         |
|                                                                                     | 210 W              | 14mm       | ● City & Intercity |
|                                                                                     | 220 W              | 14mm       | ● On / Off         |
|                                                                                     | 225 W              | 14mm       | ○ Off Road         |
|                                                                                     | 235 W              | 14mm       | ○ Light Truck      |
|                                                                                     | 245 W              | 14mm       | ○ Special          |
|                                                                                     | 255 W              | 14mm       |                    |
|                                                                                     | 265 W              | 14mm       |                    |

| MM90                                                                                 | ALL POSITION<br>ALLE POSISIE |            |                            |
|--------------------------------------------------------------------------------------|------------------------------|------------|----------------------------|
|  | Size                         | Skid depth |                            |
|                                                                                      | 225                          | 17.5mm     | ● Long Haul                |
|                                                                                      | 235                          | 17.5mm     | ● Regional                 |
|                                                                                      | 245                          | 17.5mm     | ● City & Intercity         |
|                                                                                      | 255                          | 17.5mm     | ● On / Off                 |
|                                                                                      | 265                          | 17.5mm     | ○ Off Road                 |
|                                                                                      | 275                          | 17.5mm     | ○ Light Truck<br>○ Special |
|                                                                                      |                              |            |                            |

| MM84+<br>WING                                                                       | TRAILER<br>SLEEPWA |            |                                                        |
|-------------------------------------------------------------------------------------|--------------------|------------|--------------------------------------------------------|
|  | Size               | Skid depth |                                                        |
|                                                                                     | 235 W              | 16mm       | ● Long Haul                                            |
|                                                                                     | 245 W              | 16mm       | ● Regional                                             |
|                                                                                     | 255 W              | 16mm       | ● City & Intercity                                     |
|                                                                                     | 265 W              | 16mm       | ● On / Off<br>○ Off Road<br>○ Light Truck<br>○ Special |



W = Wing Tread

| M3                                                                                |      | LIGHT TRUCK<br>LIGTE VOORTUIG |                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------|------|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Size | Skid depth                    | <input checked="" type="radio"/> Long Haul<br><input checked="" type="radio"/> Regional<br><input checked="" type="radio"/> City & Intercity<br><input type="radio"/> On / Off<br><input type="radio"/> Off Road<br><input checked="" type="radio"/> Light Truck<br><input type="radio"/> Special |
|                                                                                   | 130  | 9.5mm                         |                                                                                                                                                                                                                                                                                                   |
|                                                                                   | 140  | 9.5mm                         |                                                                                                                                                                                                                                                                                                   |
|                                                                                   | 150  | 11.5mm                        |                                                                                                                                                                                                                                                                                                   |
|                                                                                   | 165  | 11.5mm                        |                                                                                                                                                                                                                                                                                                   |
|                                                                                   | 176  | 12.5mm                        |                                                                                                                                                                                                                                                                                                   |

| M3                                                                                |      | ALL POSITION<br>ALLE POSISIE |                                                   |
|-----------------------------------------------------------------------------------|------|------------------------------|---------------------------------------------------|
|  | Size | Skid depth                   |                                                   |
|                                                                                   | 190  | 14mm                         | <input checked="" type="radio"/> Long Haul        |
|                                                                                   | 200  | 14mm                         | <input checked="" type="radio"/> Regional         |
|                                                                                   | 220  | 14mm                         | <input checked="" type="radio"/> City & Intercity |
|                                                                                   | 230  | 14mm                         | <input checked="" type="radio"/> On / Off         |
|                                                                                   | 240  | 14mm                         | <input type="radio"/> Off Road                    |
|                                                                                   | 250  | 14mm                         | <input type="radio"/> Light Truck                 |
|                                                                                   | 260  | 14mm                         | <input type="radio"/> Special                     |
|                                                                                   | 270  | 14mm                         |                                                   |
|                                                                                   | 280  | 14mm                         |                                                   |

| M7                                                                                  |      | DRIVE<br>DRYF |                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------|------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Size | Skid depth    | <input type="radio"/> Long Haul<br><input type="radio"/> Regional<br><input type="radio"/> City & Intercity<br><input checked="" type="radio"/> On / Off<br><input type="radio"/> Off Road<br><input type="radio"/> Light Truck<br><input checked="" type="radio"/> Special |
|                                                                                     | 210  | 18mm          |                                                                                                                                                                                                                                                                             |
|                                                                                     | 220  | 18mm          |                                                                                                                                                                                                                                                                             |
|                                                                                     | 230  | 19mm          |                                                                                                                                                                                                                                                                             |
|                                                                                     | 240  | 19mm          |                                                                                                                                                                                                                                                                             |
|                                                                                     | 250  | 19mm          |                                                                                                                                                                                                                                                                             |
|                                                                                     | 265  | 19mm          |                                                                                                                                                                                                                                                                             |

| M14                                                                                 |      | SPECIAL<br>SPEZIALE |                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------|------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Size | Skid depth          | <input type="radio"/> Long Haul<br><input type="radio"/> Regional<br><input type="radio"/> City & Intercity<br><input checked="" type="radio"/> On / Off<br><input checked="" type="radio"/> Off Road<br><input type="radio"/> Light Truck<br><input checked="" type="radio"/> Special |
|                                                                                     | 323  | 25mm                |                                                                                                                                                                                                                                                                                        |
|                                                                                     | 360  | 25mm                |                                                                                                                                                                                                                                                                                        |
|                                                                                     | 420  | 25mm                |                                                                                                                                                                                                                                                                                        |

| M15                                                                                 |      | TRAILER SLEEPWA |                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------|------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Size | Skid depth      | <input checked="" type="radio"/> Long Haul<br><input checked="" type="radio"/> Regional<br><input checked="" type="radio"/> City & Intercity<br><input type="radio"/> On / Off<br><input type="radio"/> Off Road<br><input type="radio"/> Light Truck<br><input type="radio"/> Special |
|                                                                                     | 320  | 14mm            |                                                                                                                                                                                                                                                                                        |

| M17                                                                                 |      | LIGHT TRUCK<br>LIGTE VOORTUIG |                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------|------|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Size | Skid depth                    | <input checked="" type="radio"/> Long Haul<br><input checked="" type="radio"/> Regional<br><input checked="" type="radio"/> City & Intercity<br><input checked="" type="radio"/> On / Off<br><input checked="" type="radio"/> Off Road<br><input checked="" type="radio"/> Light Truck<br><input type="radio"/> Special |
|                                                                                     | 130  | 10.5mm                        |                                                                                                                                                                                                                                                                                                                         |
|                                                                                     | 140  | 12mm                          |                                                                                                                                                                                                                                                                                                                         |
|                                                                                     | 150  | 13mm                          |                                                                                                                                                                                                                                                                                                                         |
|                                                                                     | 160  | 14mm                          |                                                                                                                                                                                                                                                                                                                         |
|                                                                                     | 176  | 14mm                          |                                                                                                                                                                                                                                                                                                                         |
|                                                                                     | 190  | 14mm                          |                                                                                                                                                                                                                                                                                                                         |
|                                                                                     | 206  | 17.5mm                        |                                                                                                                                                                                                                                                                                                                         |

| M36                                                                                |      | DRIVE<br>DRYF |                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------|------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Size | Skid depth    | <input type="radio"/> Long Haul<br><input checked="" type="radio"/> Regional<br><input checked="" type="radio"/> City & Intercity<br><input checked="" type="radio"/> On / Off<br><input checked="" type="radio"/> Off Road<br><input type="radio"/> Light Truck<br><input checked="" type="radio"/> Special |
|                                                                                    | 220  | 18mm          |                                                                                                                                                                                                                                                                                                              |
|                                                                                    | 230  | 18mm          |                                                                                                                                                                                                                                                                                                              |
|                                                                                    | 240  | 18mm          |                                                                                                                                                                                                                                                                                                              |
|                                                                                    | 250  | 18mm          |                                                                                                                                                                                                                                                                                                              |
|                                                                                    | 265  | 18mm          |                                                                                                                                                                                                                                                                                                              |

| M38                                                                                |      | All POSITION<br>ALLE POSISIE |                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------|------|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Size | Skid depth                   | <input checked="" type="radio"/> Long Haul<br><input checked="" type="radio"/> Regional<br><input checked="" type="radio"/> City & Intercity<br><input checked="" type="radio"/> On / Off<br><input type="radio"/> Off Road<br><input type="radio"/> Light Truck<br><input type="radio"/> Special |
|                                                                                    | 210  | 16mm                         |                                                                                                                                                                                                                                                                                                   |
|                                                                                    | 220  | 16mm                         |                                                                                                                                                                                                                                                                                                   |
|                                                                                    | 230  | 16mm                         |                                                                                                                                                                                                                                                                                                   |
|                                                                                    | 240  | 16mm                         |                                                                                                                                                                                                                                                                                                   |
|                                                                                    | 250  | 16mm                         |                                                                                                                                                                                                                                                                                                   |
|                                                                                    | 260  | 16mm                         |                                                                                                                                                                                                                                                                                                   |
|                                                                                    | 270  | 16mm                         |                                                                                                                                                                                                                                                                                                   |

| M43                                                                                |      | DRIVE<br>DRYF |                                                   |
|------------------------------------------------------------------------------------|------|---------------|---------------------------------------------------|
|  | Size | Skid depth    |                                                   |
|                                                                                    | 200  | 20mm          | <input checked="" type="radio"/> Long Haul        |
|                                                                                    | 210  | 20mm          | <input checked="" type="radio"/> Regional         |
|                                                                                    | 220  | 20mm          | <input checked="" type="radio"/> City & Intercity |
|                                                                                    | 225  | 20mm          | <input checked="" type="radio"/> On / Off         |
|                                                                                    | 235  | 22mm          | <input type="radio"/> Off Road                    |
|                                                                                    | 245  | 22mm          | <input type="radio"/> Light Truck                 |
|                                                                                    | 255  | 22mm          | <input type="radio"/> Special                     |
|                                                                                    | 265  | 22mm          |                                                   |
|                                                                                    | 275  | 22mm          |                                                   |
|                                                                                    | 285  | 20mm          |                                                   |

| M68<br>WING                                                                           |       | TRAILER<br>SLEEPWA |                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------|-------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Size  | Skid depth         | <input checked="" type="radio"/> Long Haul<br><input checked="" type="radio"/> Regional<br><input checked="" type="radio"/> City & Intercity<br><input type="radio"/> On / Off<br><input type="radio"/> Off Road<br><input type="radio"/> Light Truck<br><input type="radio"/> Special |
|                                                                                       | 295 W | 14.5mm             |                                                                                                                                                                                                                                                                                        |

| M78<br>WING                                                                           |       | TRAILER<br>SLEEPWA |                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------|-------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Size  | Skid depth         | <input type="radio"/> Long Haul<br><input checked="" type="radio"/> Regional<br><input checked="" type="radio"/> City & Intercity<br><input checked="" type="radio"/> On / Off<br><input checked="" type="radio"/> Off Road<br><input type="radio"/> Light Truck<br><input type="radio"/> Special |
|                                                                                       | 295 W | 16mm               |                                                                                                                                                                                                                                                                                                   |

| M88                                                                                  |      | DRIVE<br>DRYF |                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------------------------------------------------|------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Size | Skid depth    | <input checked="" type="radio"/> Long Haul<br><input checked="" type="radio"/> Regional<br><input checked="" type="radio"/> City & Intercity<br><input checked="" type="radio"/> On / Off<br><input type="radio"/> Off Road<br><input type="radio"/> Light Truck<br><input type="radio"/> Special |
|                                                                                      | 160  | 14mm          |                                                                                                                                                                                                                                                                                                   |
|                                                                                      | 180  | 16mm          |                                                                                                                                                                                                                                                                                                   |
|                                                                                      | 190  | 18mm          |                                                                                                                                                                                                                                                                                                   |
|                                                                                      | 230  | 20mm          |                                                                                                                                                                                                                                                                                                   |
|                                                                                      | 240  | 20mm          |                                                                                                                                                                                                                                                                                                   |
|                                                                                      | 250  | 20mm          |                                                                                                                                                                                                                                                                                                   |
|                                                                                      | 260  | 20mm          |                                                                                                                                                                                                                                                                                                   |
|                                                                                      | 270  | 20mm          |                                                                                                                                                                                                                                                                                                   |
|                                                                                      | 280  | 20mm          |                                                                                                                                                                                                                                                                                                   |

| M90L                                                                                  |      | ALL POSITION<br>ALLE POSISIE |                                                   |
|---------------------------------------------------------------------------------------|------|------------------------------|---------------------------------------------------|
|  | Size | Skid depth                   |                                                   |
|                                                                                       | 225  | 15mm                         | <input checked="" type="radio"/> Long Haul        |
|                                                                                       | 235  | 15mm                         | <input checked="" type="radio"/> Regional         |
|                                                                                       | 245  | 15mm                         | <input checked="" type="radio"/> City & Intercity |
|                                                                                       | 255  | 15mm                         | <input checked="" type="radio"/> On / Off         |
|                                                                                       | 265  | 15mm                         | <input type="radio"/> Off Road                    |
|                                                                                       | 275  | 15mm                         | <input type="radio"/> Light Truck                 |
|                                                                                       |      |                              | <input type="radio"/> Special                     |

**W** = Wing Tread

– Do not use

limited

= Accepted

= Recommended